Annual Drinking Water Quality Report for 2014 TOWN OF POESTENKILL 38 DAVIS DRIVE, POESTENKILL, NY 12140 Public Water Supply ID# NY4130338)

INTRODUCTION

To comply with State regulations, the Town of Poestenkill, will be annually issuing a report describing the quality of your drinking water. The purpose of this report is to raise your understanding of drinking water and awareness of the need to protect our drinking water sources. Last year, your tap water met all State drinking water health standards with the exception of Total Trihalomethanes. As discussed in recent letters to the Poestenkill water users, meeting this standard is beyond the control of Poestenkill and improvement depends largely on Troy. There have been ongoing meetings with Troy, New York State Department of Health, Rensselaer County Department of Health, Brunswick and Poestenkill. Troy has been taking significant steps to reduce the Total Trihalomethanes; however, since the standard is based upon a twelve month moving average od quarterly results, we can expect to exceed the standard for some time We are proud to report that our system did not violate a maximum contaminant level or any other water quality standard other than THMs. This report provides an overview of last year's water quality. Included are details about where your water comes from, what it contains, and how it compares to State standards.

If you have any questions about this report or concerning your drinking water, please contact Robert Brunet, Poestenkill Water Manager (518-283-5100 Ext.102. We want you to be informed about your drinking water. If you want to learn more, please attend any of our regularly scheduled Town Board meetings which are held the third Thursday of each month at 7:00 PM at the Poestenkill Town Hall.

WHERE DOES OUR WATER COME FROM?

In general, the sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activities. Contaminants that may be present in source water include: microbial contaminants; inorganic contaminants; pesticides and herbicides; organic chemical contaminants; and radioactive contaminants. In order to ensure that tap water is safe to drink, the State and the EPA prescribe regulations which limit the amount of certain contaminants in water provided by public water systems. The State Health Department's and the FDA's regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Our water system purchases its water from the City of Troy, which is then pumped from Troy to Poestenkill, through Brunswick. The City of Troy draws its water from a "Surface Water Supply", the spring fed Tomhannock Reservoir. It is located northeast of the City of Troy. Water flows from the Reservoir to the Troy Water Treatment Plant (TWTP), a complete treatment facility.

Our water system serves approximately 338 service connections with approximately 926 people using water daily. The water is chlorinated as it enters the Town of Poestenkill.

ARE THERE CONTAMINANTS IN OUR DRINKING WATER?

As the State regulations require, we routinely test your drinking water for numerous contaminants. These contaminants include: total coliform, nitrite, lead and copper, volatile organic compounds, total trihalomethanes, haloacetic acids, and synthetic organic compounds.

It should be noted that all drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA's Safe Drinking Water Hotline (800-426-4791) or the Rensselaer County Department of Health at (518) 270-2626 (Mr. Rich Elder).

		Table	of Detected	l Contamin	ants		***************************************
Contaminant	Violation Yes/No	Date of Sample	Level Detected (Avg/Max) (Range)	Unit Measure-ment	MCLG	Regulatory Limit (MCL, TT or AL)	Likely Source of Contamination
Chloroform	No	8/4/2014	83.7 86.6/89.6 83.7-89.6	Ug/L		(WOD, IT OF THE)	Formed by reaction of chlorine with naturally Occurring organics
Chloroform	No		89.6 86.6/89.6 83.7-89.6	Ug/L			Formed by reaction of chlorine with naturally Occurring organics
Bromodichlorom- ethane	No	8/4/2014	11.4 10.7/11.4 10-11.4	Ug/L			Bi-products of drinking water chlorination
Bromodichlorom- ethane	No	8/4/2014	10.0 10.7/11.4 10-11.4	Ug/L			Bi-products of drinking water chlorination
Dibrochlorom- ethane	No	8/4/2014	1.9 1.65/1.9 1.4-1.9	Ug/L			Bi-products of drinking water chlorination
Dibrochlorom- ethane	No	8/4/2014	1.4 1.65/1.9 1.4-1.9	Ug/L			Bi-products of drinking water chlorination

	3.7	1		1 · · · · · · · · · · · · · · · · · · ·		
	No		11.0	Ug/L		
			<1.0			Bi-products of
D C			<1.0/<1.0			drinking water
Bromoform		8/4/2014	<1.0-<1.0			chlorination
	No			Ug/L		
			<1.0			Bi-products of
			<1.0/<1.0	1 1		drinking water
Bromoform		8/4/2014	<1.0-<1.0			chlorination
	Yes		_	Ug/L		
m . 1			97			Bi-products of
Total			99/101			drinking water
Trihalomethanes		8/4/2014	97-101		80	chlorination
	Yes			Ug/L		
			101			Bi-products of
Total			99/101			drinking water
Trihalomethanes		8/4/2014	97-101		80	chlorination
	No			Ug/L		Cinomication
			<1.0			Bi-products of
Dibromoacetic			<1.0/<1.0			drinking water
Acid		8/4/2014	<1.0-<1.0		*	chlorination
	No			Ug/L		Cinormation
			<1.0			Bi-products of
Dibromoacetic			<1.0/<1.0			drinking water
Acid		8/4/2014	<1.0-<1.0	1		chlorination
	No			Ug/L		Cinormation
			8.3	Og/L		Bi-products of
Dichloroacedic			9/9.7			drinking water
Acid		8/4/2014	8.3-9.7			chlorination
	No		 	Ug/L		Cinormation
	•		9.7	Og/L		Bi-products of
Dichloroacedic		<u> </u>	9/9.7			drinking water
Acid		6/3/2013	8.3-9.7			oblasiastias
	No	0.5/2015	 	Ug/L		chlorination
	110		<1.0	Og/L		Di mua desata a C
Monobromoacetic			<1.0/<1.0			Bi-products of
Acid		8/4/2014	<1.0-<1.0		-20	drinking water
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	No	0/4/2014	·	T T = /T	<2.0	chlorination
	TAO		<1.0	Ug/L		D:
Monobromoacetic			<1.0/<1.0			Bi-products of
Acid		9/4/2014	1 1			drinking water
Tiolu	NT ₂	8/4/2014	<1.0-<1.0	T.T. /T	<2.0	chlorination
	No		1 20	Ug/L		
Monochloroacetic			<2.0			Bi-products of
Acid		0/4/2014	<2.0/<2.0			drinking water
ACIU		8/4/2014	<2.0-<2.0		<3.0	chlorination
	No			Ug/L		
Monochloroacetic			<2.0		-	Bi-products of
1		0/4/001	<2.0/<2.0			drinking water
Acid		8/4/2014	<2.0-<2.0		<3.0	chlorination

.

	No	1	T	Ug/L		
	140		5.4	Og/L		Bi-products of
Trichloroacetic			7.5/9.5			drinking water
Acid		8/4/2014	5.4-9.5			
	No	0/1/2014	3.7-7.3	T I c /T		chlorination
	110		9.5	Ug/L		Di producta of
Trichloroacetic			7.5/9.5			Bi-products of
Acid		8/4/2014	5.4-9.5			drinking water
	No	0/4/2014	3.4-9.3	I I ~/I		chlorination
	110		13.7	Ug/L		Bi-products of
Total Haloacetic			16.5/19.2			drinking water
Acid		8/4/2014	13.7-19.2	1	60	chlorination
	No	0/ 1/2011	15.7-17.2	Ug/L		Cinormation
	110		19.2	Og/L		Bi-products of
Total Haloacetic			16.5/19.2			drinking water
Acid		8/4/2014	13.7-19.2	I I	60	chlorination
	No	J. 1, 2017	120.7 17.2		00	Corrosion of
	110		<.02			
			<.03/.05			household
Copper		8/4/2014	<.0205	NA-/T	100.10	plumbing
Соррег	No	0/4/2014	\. 0203	Mg/L	<.02-1.3	systems
	110	1	02	Mg/L		Corrosion of
			.03			household
Common		0/4/0014	<.03/.05			plumbing
Copper	3 T	8/4/2014	<.0205	·	<.02-1.3	systems
	No			Mg/L		Corrosion of
			.03	1		household
			<.03/.05			plumbing
Copper		8/4/2014	<.0205		<.02-1.3	systems
	No			Mg/L		Corrosion of
			<.02			household
			<.03/.05			plumbing
Copper		8/4/2014	<.0205		<.02-1.3	systems
	No			Mg/L		Corrosion of
			.05			household
			<.03/.05			plumbing
Copper		8/4/2014	<.0205		<.02-1.3	systems
^ _	No			Mg/L	1.02 1.5	Corrosion of
·	-					household
			<.001			
Lead		8/4/2014	<.001/<.001		<.001015	plumbing
	No	0, 1/2017	<.001-<.001	Mg/L	\.UU1U13	Systems
	110			LVIE/ L		Corrosion of
			<.001			household
Lead		8/4/2014	<.001/<.001		Z 001 015	plumbing
		0/7/2014	<.001-<.001		<.001015	systems

	No	T	1	h c /r		
	110			Mg/L		Corrosion of
						household
			<.001 <.001/<.001			plumbing
Lead		8/4/2014	<.001-<.001		<.001015	systems
	No			Mg/L		Corrosion of
						household
T 1			<.001 <.001/<.001			plumbing
Lead		8/4/2014	<.001-<.001		<.001015	systems
	No			Mg/L		Corrosion of
						household
T 1			<.001 <.001/<.001			plumbing
Lead		8/4/2014	<.001-<.001		<.001015	systems
	No			Mg/L		Leaching from
			.18			septic tanks.
2 ***			.18/.18			Runnoff of
Nitrates	***	1/6/2014	.1818		<0.2-10	fertilizer use

Coliform and E Coli Test Results

Date	Sample ID:	Result	Analysis Units
1/6/2014	AT00105	Negative	Per ml
2/3/2014	AT01147	Negative	Per ml
3/3/2014	AT02283	Negative	Per ml
4/1/2014	AT03511	Negative	Per ml
5/12/2014	AT05247	Negative	Per ml
6/2/2014	AT06220	Negative	Per ml
7/1/2014	AT07987	Negative	Per ml
8/4/2014	AT09820	Negative	Per ml
9/3/2014	AT11741	Negative	Per ml
10/1/2014	AT13629	Negative	Per ml
11/3/2014	AT15201	Negative	Per ml
12/2/2014	AT16403	Negative	Per ml

Definitions:

<u>Maximum Contaminant Level (MCL)</u>: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible.

<u>Maximum Contaminant Level Goal (MCLG)</u>: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

<u>Maximum Residual Disinfectant Level (MRDL)</u>: The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

<u>Maximum Residual Disinfectant Level Goal (MRDLG)</u>: The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

<u>Action Level (AL)</u>: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

<u>Treatment Technique (TT)</u>: A required process intended to reduce the level of a contaminant in drinking water.

Non-Detects (ND): Laboratory analysis indicates that the constituent is not present.

Nephelometric Turbidity Unit (NTU): A measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

Milligrams per liter (mg/l): Corresponds to one part of liquid in one million parts of liquid (parts per million - ppm).

Micrograms per liter (ug/l): Corresponds to one part of liquid in one billion parts of liquid (parts per billion - ppb).

Nanograms per liter (ng/l): Corresponds to one part of liquid to one trillion parts of liquid (parts per trillion - ppt).

<u>Picograms per liter (pg/l)</u>: Corresponds to one part per of liquid to one quadrillion parts of liquid (parts per quadrillion – ppq).

<u>Picocuries per liter (pCi/L)</u>: A measure of the radioactivity in water.

Millirems per year (mrem/yr): A measure of radiation absorbed by the body.

Million Fibers per Liter (MFL): A measure of the presence of asbestos fibers that are longer than 10 micrometers.

WHAT DOES THIS INFORMATION MEAN?

As you can see from the table, our system had no violations other than THMs. We have learned through our testing that some contaminants have been detected; however, these contaminants were detected below the level allowed by the State. For your information, we have included the following educational information.

We are required to present the following information on lead in drinking water:

Lead:

If present, elevated levels of lead can cause serious health problems, especially for pregnant women, infants, and young children. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. The Town of Poestenkill is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to

minimize exposure is available from the Safe Drinking Water Hotline (1-800-426-4791) or at http://www.epa.gov/safewater/lead.

Nitrate:

As you can see by the table, our system had no violations, but we have learned through our testing that some contaminants have been detected; however, these contaminants were detected well below New York State requirements. Although nitrate was detected below the MCL (it was detected at .18 which is significantly less than the MCL). Therefore, we are required to present the following information on nitrate in drinking water:

"Nitrate in drinking water at levels above 10 mg/l is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant, you should ask for advice from your health care provider."

IS OUR WATER SYSTEM MEETING OTHER RULES THAT GOVERN OPERATIONS?

Monitoring Violations:

We are required to monitor your drinking water for specific contaminants on a regular basis. Results of regular monitoring are an indicator of whether or not your drinking water meets health standards. During 2014, we met all standards except Total Trihalomethanes.

INFORMATION ON RADON

Radon is a naturally-occurring radioactive gas found in soil and outdoor air that may also be found in drinking water and indoor air. Some people exposed to elevated radon levels over many years in drinking water may have an increased risk of getting cancer. The main risk is lung cancer from radon entering indoor air from soil under homes.

In 2014, we did not have to test for this. For additional information call your state radon program (1-800-458-1158) or call EPA's Radon Hotline (1-800-SOS-Radon).

DO I NEED TO TAKE SPECIAL PRECAUTIONS?

Some people may be more vulnerable to disease causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice from their health care provider about their drinking water. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia and other microbial pathogens are available from the Safe Drinking Water Hotline (800-426-4791).

WHY SAVE WATER AND HOW TO AVOID WASTING IT?

Although our system has an adequate amount of water to meet present and future demands, there are a number of reasons why it is important to conserve water:

- Saving water saves energy and some of the costs associated with both of these necessities of life;
- Saving water reduces the cost of energy required to pump water and the need to construct costly new wells, pumping systems and water towers; and
- ♦ Saving water lessens the strain on the water system during a dry spell or drought, helping to avoid severe water use restrictions so that essential firefighting needs are met.

You can play a role in conserving water by becoming conscious of the amount of water your household is using, and by looking for ways to use less whenever you can. It is not hard to conserve water. Conservation tips include:

- ♦ Automatic dishwashers use 15 gallons for every cycle, regardless of how many dishes are loaded. So get a run for your money and load it to capacity.
- ♦ Turn off the tap when brushing your teeth.
- ♦ Check every faucet in your home for leaks. Just a slow drip can waste 15 to 20 gallons a day. Fix it and you can save almost 6,000 gallons per year.
- ♦ Check your toilets for leaks by putting a few drops of food coloring in the tank, watch for a few minutes to see if the color shows up in the bowl. It is not uncommon to lose up to 100 gallons a day from one of these otherwise invisible toilet leaks. Fix it and you save more than 30,000 gallons a year.

CLOSING

Thank you for allowing us to continue to provide your family with quality drinking water this year. In order to maintain a safe and dependable water supply we sometimes need to make improvements that will benefit all of our customers. The costs of these improvements may be reflected in the rate structure. Rate adjustments may be necessary in order to address these improvements. We ask that all our customers help us protect our water sources, which are the heart of our community. Please call our office if you have questions.

If you have any questions about this report or concerning your drinking water, please contact Robert Brunet, Poestenkull Water Manager (518) 283-5100 Ext. 102. We want you to be informed about your drinking water.

Respectfully submitted,

arbeit L. Brunet

Robert L. Brunet, P.E.

Water Manager

February 11, 2015